Next & Beyond. **ALUCOBOND**°

3A Composites India Pvt. Ltd. Bldg. No. 11, Unit No. 1112, 1st Floor Solitaire Corporate Park Mathuradas Vasanji Marg Andheri (East) Mumbai - 400 093, India Telephone: (91) 22 4256 4500 Telefax: (91) 22 4010 4132 Email: alucobond.india@3acomposites.com www.alucobond.in

3A Composites Asia Pacific Pte. Ltd. 300 Beach Road #10-06 The Concourse Singapore 199555 Telephone: (65) 6303 9750 Telefax: (65) 6303 9751 Email: sales@alucobond.com.sg www.alucolux.com www.alucobond.com.sg

3A Composites Gmbh Alusingenplatz 1

78224 Singen

COMPOSITES

Germany Telephone: (49) 7731 941 2060 Telefax: (49) 7731 941 2845 Email: info@alucobond.com www.alucobond.com

3A Composites Middle East (Branch)

Almas Tower, JLT P.O. Box: 343522 Dubai, UAE Mobile: (97) 1 58 535 1721 Email: basel.massis@3acomposites.com www.alucobond.com

3A Composites (China) Ltd. Room 1902-1903 Hongkong Prosperity Tower Mengzi Road No. 763 Huangpu Shanghai China Telephone: (86) 21 6315 8550 Email: alucobond.china@3acomposites.com www.alucobond.com.cn

3A Composites USA

721 Jetton Street, Suite 325 Davidson, NC 28036 United States of America Tel: (1) 800 626 3365 Email: info.usa@3acomposites.com www.alucobondusa.com



ALUCOBOND[®]

ANODIZED LOOK





SOPHISTICATED AND TIMELESS

ALUCOBOND[®] anodized look series presents a sophisticated and contemporary satin-smooth aluminium composite material that is globally admired by architects and designers. Since it is coated with top-grade Fluorocarbon Lacquer system, it ensures long term performance. Hence ALUCOBOND® anodized look is a preferred alternative over real anodizing. It is used for rainscreen facades, wall cladding, roof perimeter detailing, curved features, column casings and various other interior and exterior architectural applications. Crafted to meet EURAS industrial standards, it seamlessly complements anodized elements like window frames and doors, ensuring a beautifully integrated appearance.

The ALUCOBOND[®] anodized look panels can be creatively shaped and transformed into diverse design concepts using standard processing methods, making them highly desirable for architects and designers.

ALUCOBOND[®] anodized look strikes a perfect balance between aesthetics and practicality, giving you a dependable choice that emphasizes quality and appearance in architectural projects.

Make sophistication and class the benchmark of your designs with our satin-smooth range.

SATIN BROWN | 538

GENERAL INFORMATION

ALUCOBOND[®] features a multi-coat, multi-bake process on a continuous coil coating line using the highest grade of PVDF/FEVE paint system. The multiple layers are individually cured at temperatures of between 200-260°C. The quality of the coating is tested according to standards established by E.C.C.A. (European Coil Coating Association) of which 3A Composites is a member. Fluorocarbon (PVDF/FEVE) coating systems combine good formability and excellent surface durability. They are extremely resistant to weathering, strong solar radiation and pollution.

The standard gloss for colours is between 30% - 40% according to Gardner Scale.


Minimum order quantities apply. For more information please refer to your nearest ALUCOBOND® representative or visit www.alucobond.in

ONLY FOR METALLIC COLOURS

To avoid possible reflection variations, it is recommended to install the panels in the same direction as marked on the protective peel-off-foil. Colour variations may occur between panels originating from different production batches. To ensure colour consistency, the total requirement for a project must be placed in one order.



C32





C2 LIGHT GOLD